## AMENDMENTS TO THE CLAIMS

A Listing of Claims is provided as follows and will replace any previous listing. No new matter has been added.

## Listing of Claims:

1. (Previously Presented) A method for purifying a target protein from a protein solution containing the target protein by using liquid chromatography, wherein the target protein is glucose dehydrogenase derived from a microorganism belonging to the genus Burkholderia and has  $\alpha$ ,  $\beta$ ,  $\gamma$  subunits, the liquid chromatography comprising:

a first step of introducing the protein solution into a column filled with a packing agent, the packing agent holding the target protein, the packing agent being an ion-exchange resin containing a quaternary ammonium group as an ion-exchange group; and

a second step of eluting the target protein by using an eluent containing a hydroxy-cholate.

## 2-5. (Canceled)

6. (Previously Presented) The method for purifying protein according to Claim 1, wherein the  $\beta$  subunit of the glucose dehydrogenase provides electron transfer activity and has a molecular weight of approximately 43 kDa in SDS-gel electrophoresis under a reducing environment, and

the  $\alpha$  subunit of the glucose dehydrogenase provides glucose dehydrogenation activity and has a molecular weight of approximately 60 kDa in SDS-gel electrophoresis under a reducing environment.

7. (Previously Presented) The method for purifying protein according to Claim 1, wherein the hydroxy-cholate comprises a sodium cholate.

- 8. (Previously Presented) The method for purifying protein according to Claim 1, wherein the hydroxy-cholate in the eluent is maintained at a constant concentration during the elution of the target protein from the packing agent.
- 9. (Original) The method for purifying protein according to Claim 8, wherein the concentration of the hydroxy-cholate in the eluent is selected from a range of 0.5 through 2.5 wt%.
- 10. (Canceled)
- 11. (Previously Presented) The method for purifying protein according to Claim 1, wherein the microorganism is Burkholderia cepacia KS1 strain (FERM BP-7306).
- 12. (Currently Amended) The method for purifying protein according to Claim [[3]] 1, wherein the glucose dehydrogenase is produced by a transformant,

the transformant being produced by engineering a host microorganism with DNA from a microorganism belonging to the genus Burkholderia encoding the  $\alpha$ , [[and]]  $\beta$ , and  $\gamma$  subunits.

- 13. (Previously Presented) The method for purifying protein according to Claim 12, wherein the host microorganism is Pseudomonas putida.
- 14. (Previously Presented) The method for purifying protein according to Claim 12, wherein the host microorganism is E. coli bacterium.
- 15-23. (Canceled)
- 24. (Previously Presented) The method for purifying protein according to Claim 1, wherein the  $\alpha$  and  $\gamma$  subunits of the glucose dehydrogenase provide glucose dehydrogenation activity and the  $\gamma$  subunit has a molecular weight of approximately 14 kDa in SDS-gel electrophoresis under a reducing environment.